

78-3-4-9/38

On the Phase Diagram of the Ternary System Chromium-Tungsten-Molybdenum

ASSOCIATION: Institut metallurgii im. A. A. Baykova Akademii nauk SSSR
(Metallurgical Institute imeni A. A. Baykov, AS USSR)

SUBMITTED: June 25, 1957

Card 3/3

PROKOF'YEV, D.I.

GRUM-GRZHIMAYLO, N.V.; PROKOF'YEV, D.I.

Phase diagram of the ternary system chromium-tungsten-molybdenum.
Zhur.neorg.khim. 3 no.4:889-895 Ap '58. (MIRA 11:4)

1.Institut metallurgii im. A.A. Baykova AN SSSR.
(Chromium-tungsten-molybdenum)

GRUM-GRZHIMAYLO, N.V.; PROKOF'YEV, D.I.

Study of the structural diagram of the chromium - tungsten - molybdenum ternary system. Part 1: Microscopic and X-ray structural study of alloys. Zhur. neorg. khim. 3 no.5:1220-1226 My '58.

(Chromium-tungsten-molybdenum alloys--Metallography) (MIRA 11:6)

AUTHORS: Grum-Grzhimaylo, N.V., Prokof'yev, D.I. 78-3-6-30/30

TITLE: Diagram With Holl-Effect in the Alloys of the Molybdenum-Tungsten System (Diagramma kholl-effekta sistemy splavov molibden-vol'fram)

PERIODICAL: Zhurnal Neorganicheskoy Khimii, 1958, Vol. 3, Nr 6, pp 1470-1471 (USSR)

ABSTRACT: The alloys of the molybdenum-tungsten system are characterized by a continuous series of solid solutions in the range of concentration of the components from 0 to 100%. Up to now, no chemical compounds were found in the fields of solid solutions. The Holl-effect was applied for the determination of covalent chemical compounds in the alloys of the molybdenum-tungsten system. The alloys were produced from powdery molybdenum and tungsten in the vacuum-furnace T.BE-2 at temperatures of from 2000 to 2200°C by means of powder-metallurgy. The Holl-constant was calculated from these alloys. The results obtained were graphically represented in a system of coordinates in which the Holl-constant denotes the abscissa and the composition in atomic per cents signify

Card 1/2

78-3-6-30/30

Diagram With Holl-Effect in the Alloys of the Molybdenum-Tungsten System

the ordinate. It was found that a chemical compound of MoW exists due to the dependence of the change of the constant of the Holl-effect on the composition in the binary system of molybdenum-tungsten. There are 1 figure, 0 tables, and 5 references, 3 of which are Soviet.

SUBMITTED: October 25, 1957

AVAILABLE: Library of Congress

1. Molybdenum-tungsten alloys--Phase studies

Card 2/2

USCOMM-DC-55298

187520 1145, 1555, 1454

21753
S/078/61/006/005/009/015
B121/B208AUTHORS: Grum-Grzhimaylo, N. V., Prokof'yev, D. I.

TITLE: X-ray examination of solid solutions of the system chromium - tungsten - molybdenum formed at high temperatures

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 6, no. 5, 1961,
1155 - 1164

TEXT: Solid solutions of the ternary system chromium-tungsten-molybdenum were X-rayed to study the effect of the concentration of the components on the lattice parameters. The preparation of chromium-tungsten-molybdenum alloys has already been described by N. V. Grum-Grzhimaylo and D. I. Prokof'yev (Ref. 1: Zh. neorgan. khimii, 3, 1220 (1958)). The composition of the alloys along the cuts with constant content of one of the components is presented in a table. In the X-ray analysis negatives were taken with the KPOC-1 (KROS-1) camera. The parameters were determined with an accuracy of + 0.004 kX. Solid ternary solutions were found to be formed at elevated temperatures in the system chromium-tungsten-molybdenum. When these alloys are annealed, the solid solutions decompose. The linear

X

Card 1/5

X-ray examination of solid ...

21753

S/078/61/006/005/009/015
B121/B208

X

dependence of the lattice parameters of ternary alloys was calculated for different mixing ratios and summarized in the above-mentioned table. With increasing chromium content in the alloys the lattice parameter evenly decreases, and the curvature of the isoparameter is changed. The chromium atom causes a dilation of the lattices deviating from the Wegart rule in the binary solid solutions of the systems chromium-tungsten and chromium-molybdenum. A maximum diminution of the crystal lattices occurs in alloys with 50 and more atom% Cr. With increasing chromium content the lattice parameters of the ternary alloys slowly decrease. Molybdenum and tungsten also change the lattice parameters; in the ternary solid solution this change depends linearly on the composition. The mutual solubility in solid state, experimentally found by X-ray and microscopic examination of the alloys of the ternary system chromium-tungsten-molybdenum, confirmed the assumption of I. I. Kornilov (Ref. 12: Dokl. AN SSSR, 114, No. 1 (1957)) saying that these three metals form continuous series of solid solutions, both as ternary and also as binary systems. L. N. Guseva is thanked for her interest in the experiments and in the discussion of the results. The following papers by Soviet authors are mentioned: Ref. 7: V. G. Kuznetsov, Izv. Sektora platiny AN SSSR, vyp. 20 (1947); Ref. 9: V. G. Kuznetsov, Izv. Sektora platiny AN SSSR, vyp. 20 (1947); Ref. 9: V. G. Kuz-

Card 2/5

X-ray examination of solid ...

21753
S/078/61/006/005/009/015
B121/B208

netsov, Izv. Sektora fiz.-khim. analiza AN SSSR, 16 (1946); 16 (1948);
Ref. 10: V. G. Kuznetsov, L. N. Guseva, Izv. AN SSSR, ser. khim., no. 6,
905 (1940); Ref. 11: V. G. Kuznetsov, Ye. S. Makarov, Izv. Sektora
fiz.-khim. analiza, 13, 177 (1940). There are 14 figures, 1 table, and
12 references: 6 Soviet-bloc and 6 non-Soviet-bloc. The references to
English-language publications read as follows: Ref. 5: H.T. Greenaway,
J. Inst. Metals, 80, 589 (1952); Ref. 6: W. B. Pearson, Handb. of lattice
spacings and structures of metals and alloys 1958; Ref. 8: A. G. Andersen,
E. R. Jette, Trans. ASM, 24, 519 (1936).

SUBMITTED: April 22, 1960

Table: Lattice parameters of the alloys of the solid solution of the
system chromium-tungsten-molybdenum. Legend: (a) Composition of the
alloy; (1) wt%, (2) atom%; (b) lattice parameter, kX ; (3) found;
(4) calculated; (5) difference.

X

Card 3/5

21753

S/078/61/006/005/009/015
B121/B208

✓

X-ray examination of solid ...

Состав сплава			Параметр решетки, кХ			
(1) вес. %	(2) ат. %		(3) найденный	(4) начисленный	(5) разница	
Cr	W	Cr	W	Mo		
50	10	90,7	3,20	6,15	2,905	+0,000
70	20	86,2	7,0	6,80	2,918	+0,002
60	30	81,2	11,5	7,3	2,937	+0,007
50	40	75,0	17,0	8,0	2,952	+0,005
40	50	67,2	23,8	9,0	2,977	+0,008
30	60	57,5	32,3	10,2	3,002	+0,006
20	70	44,2	43,8	12,0	3,044	+0,011
19	80	26,35	59,5	14,2	3,102	+0,019
5	85	14,6	69,6	15,8	3,130	+0,015
70	10	83,5	3,5	13,0	2,930	+0,033
60	20	78,5	7,5	14,0	2,941	+0,005
50	30	72,0	12,3	15,7	2,966	+0,012
40	40	64,5	18,2	17,3	2,982	+0,007
30	50	54,7	25,7	19,6	3,012	+0,011
20	60	42,0	35,5	22,5	3,045	+0,008
10	70	24,4	49,0	20,6	3,098	+0,010
5	75	13,3	57,4	29,3	3,130	+0,014
60	10	76,0	3,7	20,3	2,956	+0,014
50	20	69,5	8,0	22,5	2,974	+0,016
40	30	61,9	13,1	25,0	3,004	+0,013
30	40	52,1	19,9	28,0	3,018	+0,010
20	50	39,9	28,1	32,0	3,047	+0,006
10	60	23,2	39,2	37,5	3,096	+0,003

Card 4/5

X-ray examination of solid ...

21753
 S/078/61/006/005/009/015
 B121/B208

50	10	67,0	4,1	28,9	2,984	2,966	+0,018
40	20	59,2	8,3	32,2	2,997	2,986	+0,011
30	30	50,0	14,0	36,0	3,028	3,012	+0,016
20	40	37,7	21,3	41,0	3,055	3,048	+0,009
10	50	21,8	31,0	47,2	3,093	3,089	+0,004
40	10	57,0	4,2	38,8	3,098	2,992	+0,016
30	20	47,8	9,0	43,2	3,032	3,017	+0,015
20	30	35,8	15,2	49,0	3,062	3,050	+0,012
10	40	20,5	23,5	56,0	3,096	3,031	+0,005
30	10	45,8	4,4	49,8	3,036	3,021	+0,015
20	20	34,0	10,0	56,0	3,070	3,053	+0,017
10	30	19,8	16,6	63,6	3,100	3,092	+0,008
20	10	32,7	4,9	62,4	3,073	3,056	+0,017
10	20	18,6	10,6	70,8	3,103	3,094	+0,009
10	10	18,0	5,0	77,0	3,104	3,095	+0,009

TABLE CONT'D

Card 5/5

P R O K U F Y E V D. I.

18(7) PHASE I BOOK EXPLOITATION

SOV/3355

Akademiya nauk SSSR. Institut metallicheskikh nauchnykh problem sharoprovodnykh splavov. Nauchnyy sovet po silistant alloym. po sharoprovodnym splavam. t. IV (Studies on Heat-resistant Alloys, vol. 4). Moscow, Izd-vo AN SSSR, 1959. 400 p. Errata slip inserted. 2,200 copies printed.

Ed. of Publishing House: V. A. Klimov; Tech Ed: I. A. P. Gusenev; Editorial Board: I. P. Bardin, Academician; G. V. Kudryavtsev, Academician; N. V. Agayev, Corresponding Member, USSR Academy of Sciences; I. A. Odintsov, I. M. Pavlov, and I. P. Zudin, Candidate of Technical Sciences.

PURPOSE: This book is intended for metallurgists concerned with the structural metallurgy of alloys.

COVERAGE: This is a collection of specialized studies of various problems in the structural metallurgy of heat-resistant alloys. Some are concerned with theoretical principles, some with descriptions of new equipment and methods. Others with properties of specific materials. Various phenomena occurring under specified conditions are studied and reported on. For details, see Table of Contents. The articles are accompanied by a number of references, both Soviet and non-Soviet.

Studies (Cont.)

SOV/3355

- Bulygina, A. I., and I. V. Chernenko. Effect of Plastic Deformation at Low Temperatures on the Heat-resistant Properties of Type 18-8-T1 Austenitic Steel. 214
- Savitskii, Ye. M., and M. A. Trifilova. Recrystallization of the Refractory Metals Titanium, Zirconium, Vanadium, Rhenium, and Tungsten, and Their Alloys. 218
- Gridneva, V. M., V. I. Trifilov, and A. L. Burzilko. Effect of Structure on Plasticity of Charcoalite. 226
- Agayev, M. V., and V. A. Trapeznikov. Production of Pure Chromium. 237
- Shestopalov, V. N., Yu. A. Kocherzhinskii, V. M. Panin, Ye. M. Matveeva, and A. N. Shuruk. A Study of the Chromium-Niobium-Pandium System. 248
- Dru-Gorbunaylo, N. N., and D. I. Trofimov. Constitution Diagram of the Ternary System Chromium-Niobium-Molybdenum. 257

Card 8/12

PROJECT V D 1

AUTHORS: Grum-Grzhimaylo, N. V., Prokof'yev, D. I. 70 3-5 28/39

TITLE: Investigations on the Phase Diagram of the Ternary System
Chromium-Tungsten-Molybdenum (Izuchenie diagrammy
sostoyaniya troynoy sistemy khrom-volfram-molibden).
I. Microscopic- and X-ray Structural Investigations of the
Alloys (I. Mikroskopicheskaya i rentgenostruktural'naya
issledovaniye splavov)

PERIODICAL: Zhurnal Neorganicheskoy Khimii, 1958, Vol 3, Nr 5,
pp 1220-1226 (USSR)

ABSTRACT: The phase composition and the structure of the ternary
alloys of the ternary system chromium-tungsten-molybdenum
were investigated. The alloys with isothermal sections were
investigated at 1800, 1300 and 1000°C, in every concentration
within the triangle of the ternary system. At 1300°C
chromium, tungsten and molybdenum form, in all concentrations
of the triangle, continuous series of solid solutions with a
cubically volume-centered lattice. The continuous solid
solutions which were formed are unstable at reduced
temperature. The high-temperature-resistant solid ternary-
system-solutions decompose, upon thermic treatment, into two

Card 1/2

Investigations on the Phase Diagram of the Ternary System
Chromium-Tungsten-Molybdenum. I. Microscopic- and X-ray-
structural Investigations of the Alloys

70-3 5-28/39

ternary-solid solutions, one of which on the basis of chromium, the other on the basis of tungsten. At temperatures of from 1300 to 1000°C, fields of diphasic alloys are formed in the ternary system, which begin at the side of the binary chromium-tungsten-system, and which continue into the interior of the triangle of the ternary system. The ternary alloys in the molybdenum-corner are monophase at all temperatures. The limit of the diphasic part in the ternary system was determined on two isothermal sections at 1300 and 1000°C. There are 7 figures 1 table, and 27 references, 6 of which are Soviet.

SUBMITTED: May 15, 1957

AVAILABLE: Library of Congress

1. Chromium-tungsten-molybdenum alloys--Phase diagrams
2. Chromium-tungsten-molybdenum alloys--Microanalysis
3. Chromium-tungsten-molybdenum alloys--Structural analysis

Card 2/2

2086

5/078/62/007/003/009/
B110/B138

12.1200

AUTHORS: Grum-Grzhimaylo, N. V., Prokof'yev, D. I.

TITLE: Polythermal disintegration volume of the ternary solid solution in the Cr-W-Mo system

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 7, no. 3, 1962, 596-604

TEXT: Ternary alloys of the Cr-W-Mo system were examined, and the disintegration volume of the α -ternary solid solution was determined. The initial curves of the lattice parameters of the solid solution are available from the parametric surface of the homogeneous ternary solid solution. From measured lattice parameters, the composition/lattice parameter curves were plotted for three groups of sections: (1) Alloys with constant (10, 20, 30%) Mo content. From these diagrams the points of intersection of the lines of the α_1 (Cr-rich) and the α_2 (W-rich) phases with those of the homogeneous α -ternary solid solution were found, and thus the homogeneity boundary of the ternary solid solution. (2) Alloys with constant Cr, and, (3), W content. These diagrams revealed the critical point on the binodal curve of the isothermal section and the critical line on the surface of the

Card 1/8

Polythermal disintegration volume...

S/078/62/007/003/C03/C13
B110/B138

disintegration volume of the solid solution. In sections with constant (50, 30, 20%) Cr content the parameter lines of the α_1 phase intersect that of the α solid solution, and consequently, these sections pass through the binodal curve of the isothermal sections to the left and at 10% Cr to the right of the critical point. In the constant W section (40, 50, 60%) the parameter lines of the α_1 and the α_2 phases intersect the parameter curve of the α -ternary solid solution in one point (at 40% W), from which the critical point on the binode is found, 1000°C. The boundary of the two-phase range of disintegration can be found on the isothermal sections for 1000, 1300, and 1600°C (Fig. 5). As the disintegration volume varies considerably with temperature ageing possibilities can be determined. The dissociation binode at 1600°C, bounding the two-phase alloy range is a continuous closed curve, and must therefore have two critical points. Dissociation temperature of the α -homogeneous solid solution rises on Mo addition to the binary Cr-W alloy. This ternary critical point is above the binary critical point of the Cr-W dissociation range binode. A critical points exists on the 1000 and 1300°C binodes. The isoparametric method was used to determine the position of conoids (Fig. 6) in the two-

Card 2/6

Polythermal disintegration volume...

S/078/62/007/003/009/019
B110/B138

phase range of isothermal sections. The isoparametric curves of the homogeneous α -ternary solid solution and the solubility curves at 1000 and 1300°C show the variation in lattice parameters along the binode. For a number of alloys the 1000°C conoids show a divergence. Analysis revealed a third phase α_x , with body-centered cubic lattice which may be the cause of the unstable disintegration curves. The dome-shaped binodal surface of the disintegration volume with ternary critical point is clearly illustrated in Fig. 8. It closes inside the temperature-concentration prism separating the closed disintegration volume of the ternary solid solution. The asymmetry is probably due to the deformation energy of the crystal lattice as a result of the difference in atomic diameters and the elastic properties of Cr, W, and Mo. The ternary critical point K is shifted toward the elastic W and Mo. Since the Cr-W-Mo systems formed by Mo addition to binary Cr-W systems and having a deformed crystal lattice are in the energetic stressed state, dissociation into two conjugate phases with the same crystal lattice causes greater thermodynamic stability and eliminates the stresses. V. G. Kuznetsov, Izv. Sektora fiz-khim. analiza, 16, 232 (1946), B. Ya. Pines. Zh. neorgan. khimii, 3, 611 (1958) are mentioned. There are 8 figures, 1 table, and 12 references: 8 Soviet and 4 non-Soviet. The two

Card 3/6

GRUM-GRZHIMAYLO, N.V.; PROKOF'YEV, D.I.

Polythermal volume of decomposition of a ternary solid solution
in the system chromium - tungsten - molybdenum. Zhur.neorg.khim.
7 no.3:596-604 Mr '62. (MIRA 15±3)
(Chromium-tungsten-molybdenum alloys)

GRUM-GRZHIMAYLO, N.V.; PROKOF'EV, D.I.

X-ray examination of solid solutions of the system chromium - tungsten - molybdenum at high temperatures. Zhur.neorg.khim. 6 no.5:1155-1164 My '61.
(MIRA 14:4)

(Chromium-tungsten-molybdenum alloys)

PROKOF'YEV, E.A.

[Efforts of the Decembrists in behalf of a progressive military art for
Russia] Bor'ba dekabristov za peredovoe russkoe voennoe iskusstvo. Moskva,
Izd-vo Akademii nauk SSSR, 1953. 312 p. (MLRA 6:7)
(Decembrists) (Military art and science--History)

S/035/61/000/003/047/048
A001/A101

AUTHOR: Prokof'yev, F.I.

TITLE: On classification of topographic maps and improvement of their content

PERIODICAL: Referativnyy zhurnal. Astronomiya i Geodeziya, no. 3, 1961, 19, abstract 3G164 (v sb. "Ispol'zovaniye topogr. kart pri geogr. issled.", Moscow, AN SSSR, 1958, 75 - 86)

TEXT: The author describes the purposes of topographic maps and proposes their classification according to their purpose and content into three groups: basic topographic maps, scales 1:100,000 and 1:50,000; economic-topographic maps, scales 1:25,000, 1:10,000 and 1:5,000, and municipal-topographic maps, scales 1:2,000, 1:1,000 and 1:500. To improve the content of topographic maps, the contours, in surveys carried out by agencies of agriculture and forestry; populated points should be marked taking into account the main signs of their classification.

Card 1/2

S/035/61/000/003/047/048
A001/A101

On classification of topographic maps ...

cation (occupation, composition and quantity of population); industrial-administrative points, agricultural and mixed settlements and special constructions should be singled out on the maps; boundaries of land utilization, land parcels and state cattle drive paths, should be marked on the large-scale maps.

V. Agafonov

[Abstracter's note: Complete translation]

Card 2/2

MINAYEV, Georgiy Aleksandrovich; SHAT'KO, Nina Ivanovna; D'YAKOV, G.S.,
retsenzent; POVALYAYEV, P.I., dots., retsenzent; PROKOF'YEV,
F.I., dots., retsenzent; KULIKOV, A.A., starshiy prepodavatel',
retsenzent; YUROV, S.I., red.; KOMAR'KOVA, L.M., red. izd-va;
ROMANOVA, V.V., tekhn. red.

[Safety engineering in topographic and geodetic work]Tekhnika
bezopasnosti na topografo-geodezicheskikh rabotakh. Moskva,
Geodezizdat, 1962. 226 p. (MIRA 15:9)
(Surveying--Safety measures)

TETERIN, Yegor Nikolayevich; SHUBIN, Nikolay Vasil'yevich;
OCHERET'KO, Aleksandr Konstantinovich; PAVLOV,
Vitaliy Fedorovich, dots; BARANOV, A.N., retsenzent;
SUKHOV, A.I., retsenzent; POVALYAYEV, P.I., nauchn.-
pedagog. rabotnik, retsenzent; PROKOF'YEV, F.I., nauchn.-
pedagog. rabotnik, retsenzent; RYCHKOV, A.I., nauchn.-
pedagog. rabotnik, retsenzent; YLROV, S.I., retsenzent;
KHROMCHENKO, F.I., ved. red.

[Organization and planning of surveying and topographical
work] Organizatsii i planirovanie geodezicheskikh i to-
pograficheskikh rabot. Moskva, Nedra, 1965. 299 p.
(MIRA 18:7)

1. Zaveduyushchiy kafedroy organizatsii i planirovaniya
kartografo-geodezicheskikh rabot Moskovskogo instituta
inzhenerov geodezii, aerofotos"yemki i kartografii (for
Sukhov). 2. Kafedra organizatsii i planirovaniya karto-
grafo-geodezicheskikh rabot Moskovskogo instituta inzhe-
nerov geodezii, aerofotos"emki i kartografii (for
Povalyayev, Prokof'yev, Rychkov, Pavlov). 3. Glavnoye
upravleniye kapital'nogo stroitel'stva Ministerstva putey
soobshcheniya SSSR (for Rychkov). 4. Nachal'nik Glavnogo
upravleniya geodezii i kartografii SSSR (for Baranov).

PROKOF'YEV, F. I.

NIKOLAEVSKAYA, Ye. M.

314) 1/3 PLACE 1 BOOK INFORMATION

SOV/1779

Akademika Nauk SSSR. Institut geografii.

Izdatel'stvennyi topograficheskii kurt pri geograficheskikh issledovaniyakh. (Use of topographic Maps in geographical Exploration) Moscow, Izd-vo AN SSSR, 1958, 118 p., 2,000 copies printed.

Sovp. Mat. N.P. Leont'ev, Candidates of Technical Sciences; Ed. of Publishing House: V.D. Volyskaya; Tech. Ed.: S.G. Barkovich

PURPOSE: This book is intended for geographers or cartographers who use topographic maps in connection with their activity.

CONTENTS: This book is a collection of papers given at the Inter-departmental Conference on Topographic Maps called by the Institute of Geography, Academy of Sciences, USSR in 1955. The aim of the conference was to discuss and solve problems in the use of maps and to find means of improving the contents of maps. In the papers are discussions of map making methods, contents of Soviet maps, the use of maps for physico-

card 1/4

geographical studies, the classification of topographic maps and others. A portion of the book is devoted to discussion of the papers presented. The author thanks B.S. Barkovich, N.A. Prokof'ev, and L.N. Semenova for their help in preparing the work for publication. Such article is followed by a list of references.

BOF/300
Use of Topographic Maps (Cont.)

Pashchakov, F.B. Some Problems in the Use of Topographic Maps for the Physical Geographical Study of the USSR 37

Filimonovskaya, Ye. M. The Requirements Set Forwards for Topographic Maps in Connection With Integrated Geographic Studies of Soviet Regions in European USSR 46

Samatov, G.A. The Use of Topographic Maps in the Study of Virgin and Unexploited Lands 56

Mehobaryan, Yu. A. The Requirements for Topographic Maps in Geomorphological Studies 62

Prokof'ev, F.I. The Requirements of Topographic Maps 75
and the Improvement of Their Contents

Barkovich, L.V. Some Considerations for Improving Topographic Maps in Connection With Their Use in Planned Water Utilization Projects 87

card 2/4

"APPROVED FOR RELEASE: 07/13/2001

CIA-RDP86-00513R001343210009-8

PROKOF'YEV, F.Ya., master

Electromagnetic by-pass unit in a reducing valve. Elek. sta.
36 no.12:75-76 D '65. (MIRA 18:12)

APPROVED FOR RELEASE: 07/13/2001

CIA-RDP86-00513R001343210009-8"

"APPROVED FOR RELEASE: 07/13/2001

CIA-RDP86-00513R001343210009-8

NEDOSTUP, G.A.; PROKOF'YEV, F.N.; KHOLIN, A.I.; TSITOVIDCH, A.P.

Use of differential gamma spectrometry in petroleum geology.
Prikl. geofiz. no.23:193-201 '59. (MIHA 13:1)
(Oil well logging, Radiation)

APPROVED FOR RELEASE: 07/13/2001

CIA-RDP86-00513R001343210009-8"

Prokof'yev, F.N.

3(5,6) PHASE I BOOK EXPLOITATION Sov/2899
Vsesoyuznyy nauchno-issledovatel'skiy institut geofizicheskikh metodov
pervovid.

Priljadnaya geofizika; izdaniye stat'ev. vyp. 23 (Applied Geophysics);
Collection of Articles, No. 23) Moscow, Gosgeoptekhnizdat, 1959.
242 p. 3,500 copies printed.

Ed.: N.M. Polakov; Exec. Ed.: M.N. Razimina; Tech. Ed.: A. S. Polonina.

PURPOSE: This book is intended for scientific, engineering, and technical personnel of industrial geophysical exploration services.

COVERAGE: This is a collection of 14 articles by various authors on aspects of geophysical exploration. The material treated in the articles may be divided into four categories: the physical properties of rocks in specific geological regions, methods and techniques used in industrial geophysical exploration, concepts in the theory of electrical exploration, and the economics involved in geophysical operations. Specifically, the authors discuss the geological structures of the central parts of the Russian Platform, southeastern Turkmenia, the West Siberian Plains, the eastern part of the Siberian Platform, and the Minusinsk basin; electrical frequency sounding, neutron logging, gamma spectrometry techniques, and the standard equipment and installations of the Geological services of the Petroleum Industry in the USSR. References accompany each article.

Mishayevsky, A.B. Density Characteristics of the Geological Profile of the Eastern Part of the Siberian Platform 112

Doblikov, A.B. Density of Sedimentary Beds of Usturt 127

Tarby, A.P. Nature of the Anomalous Gravitational Field of the Minusinsk Basin 136

Tezikin, A.Ye. Methods of Solving Problems in Neutron Logging 141

Kantore, S.A. The Effect of the Diameter of a Borehole on Instrument Readings in Neutron-Neutron Logging 174

Medvedev, G.A., P.N. Prokof'yev, A.I. Krolin, and A.P. Fil'kovich. Use of Differently-Tuned Spacemeters in Petroleum Geology 193

Zolotovnik, N.I. The Speed of Electrical Logging in Combined Measurements With an Arbitrary Division of Channels 202

Polakov, Fe.A. An Equivalent Electrical Schematic for an Electrode 217

Abd. R.A., V.M. Zaporozhets, N.I. Plotnikov, and I.A. Anufriyev. Some Problems in the Design of a Borehole Neutron Generator 226

Korlov, P.T. Basic Assets of the Geophysical Services in the Petroleum Industry of the USSR 234

AVAILABLE: Library of Congress

Card 1/1

RW/BS
12-21-29

6

PROKOF'YEV, G., starshiy tekhnik-leytenant; FEDOROVSKIY, B., kapitan;
KASATKIN, B., inzh.-mayor; LITVINOV, V., inzh.-kapitan; SKLYARSKIY, O.,
inzh.-kapitan; VOROB'YEV, K., inzh.-podpolkovnik

Suggestions, " comments. Av.i kosm. 46 no.7:81-86 Jl '63.
(MIRA 16:8)
(Aeronautics)

PROKOF'YEV, G.I.

Treatment of periodontitis by introducing penicillin through the
root canal of a tooth. Stomatologija no.2:55 Mr-Ap '54. (MLRA 7:4)
(Teeth--Diseases) (Penicillin)

PROKOF'YEV, G.M.

Pulley block for joining conveyor belts. Der.prom.5 no.8:23 Ag '56.
(MLRA 9:10)

1. Maklakovskiy lesozavod Minlesprema SSSR.
(Conveying machinery) (Pulleys)

PROKOF'YEV, G.P. (Moskva)

Musical image and its presentation by the performer. Vop.
psikh. 5 no.5:59-70 S-0 '59. (MIRA 13:3)
(Music--Performance)

PROKOF'YEV, I., kand. tekhn. nauk; ANISIMOV, A., kand. tekhn. nauk.

Economical efficiency of using automobiles equipped with gas bags.
Avt. transp. 36 no.2:22-23 F '58. (MIRA 11:2)

1. Saratovskiy avtomobil'no-dorozhnyy institut.
(Automobiles--Engines (Compressed gas))

PROKOF'YEV, I., instruktor turizma

Waterfall near Moscow. Nauka i zhizn' 29 no.7;lll J1 '62.
(MIRA 16:6)
(Moscow region--Waterfalls)

ARTEM'YEV, S.; BABKOV, V.; BIRULYA, A.; BOGOMOLOV, A.; BOCHIN, V.; BRILING, N.;
VAKHRUSHIN, N.; VOLKOV, M.; GURARIY, M.; DADENKOV, Yu.; YEFREMOV, V.;
ZELENKOV, G.; IVANOV, N.; IGOLKIN, N.; KUDRYAVTSEV, A.; LITVIN, N.
MIKHAYLOV, V.; PROKOF'YEV, I.; SARKIS'YANTS, G.; ROMAENKO, I.;
STRAMENTOV, A.; FEDOROV, V.; KHACHATUROV, A. i dr.

Anatolii Pavlovich Khmel'nitskii. Avt. dor. 21 no.12:30 D '58.
(Khmel'nitskii, Anatolii Pavlovich, 1907-1958)

PROKOF'YEV, I., (g.Izhevsk).

This demands daily attention. Prom. koop. no.12:34 D '56.
(MLRA 10:2)

(Udmurt A.S.S.R.--Cooperative societies)

PROKOF'YEV, I.

Section of traffic safety. NIU 5 no.1:32-33 Ja '63,
(MIRA 16:5,

1. Uchenyy sekretar' sektsii bezopasnosti dvizheniya Krasnoyarskogo
pravleniya Nauchno-tehnicheskogo obshchestva gorodskogo
khozyaystva i avtotransporta.
(Krasnoyarsk—Traffic safety)

PROKOF'YEV, I.; ANISIMOV, A.

Training of engineers based on the new curricula. Avt. transp.
38 no. 5:49 My '60. (MIRA 14:2)

1. Direktor Saratovskogo avtomobil'no-dorozhnogo instituta (for Prokof'yev). 2. Dekan avtomobil'nogo fakul'teta Saratovskogo avtomobil'no-dorozhnogo instituta (for Anisimov).
(Saratov—Automobile engineering—Study and teaching)

PROKOF'YEV, I.A., inzh.

New technology for operating technical inspection stations for railroad cars. Zhel.dor.transp. 42 no.5:77-78 My '60.
(MIRA 13:9)

1. Nachal'nik wagonnogo depo Syzran', g. Syzran'.
(Railroads--Cars)

PROKOF'YEV, I.A., podpolkovnik meditsinskoy sluzhby

Effect of the meteorological factors of Kislovodsk on atherosclerotic
cardiosclerosis. Voen.-med. zhur. no.5:51-54 My '56. (MLRA 9:9)
(KISLOVODSK--CLIMATE) (HEART--DISEASES)

NALIVKIN, Vladimir Alekseyevich; PROKOF'YEV, Ivan Iosifovich;
PROTASOV, Boris Vasil'yevich; KOSTINA, V., red.;
LUKASHEVICH, V., tekhn. red.

[Reconditioning parts by automatic building-up and welding]
Vosstanovlenie detalei avtomaticheskoi naplavkoi i svarkoi.
Saratov, Saratovskoe knizhnoe izd-vo, 1961. 85 p.
(MIRA 15:7)

(Electric welding)

PROKOF'YEV, I. M.

Prokof'yev, I. M. - "Improving the practice of calculating the cost of agricultural production on sovkhozes", Doklady (Mosk. s.-kh. akad. im. Timiryazeva), Issue 8, 1948, (In index: 1949), p. 13-18.


SO: U-411, 17 July 53, (Letopis 'Zhurnal 'nykh Statey, No. 20, 1949).

PROKOF'YEV, I. F., Prof.

Proskuryakov, Lavr Dmitryevich, 1858-1926.

Lavr Dmitryevich Proskuryakov. Stroi. prom. 31, No. 2, 1953.

Monthly List of Russian Accessions, Library of Congress, June 1953. Uncl.



P R o K o F ' y e v , I. V.
18(6)

PHASE I BOOK EXPLOITATION

SOV/3199

Akademiya nauk SSSR. Institut obshchey i neorganicheskoy khimii
im. N. S. Kurnakova

Analiz blagorodnykh metallov (Analysis of Noble Metals) Moscow,
1959. 193 p. Errata slip inserted. 2,700 copies printed.

Resp. Ed.: N. K. Pshenitsyn, USSR Academy of Sciences, Corresponding Member; and O. Ye. Zvyagintsev, Doctor of Chemical Sciences; Eds. of Publishing Houses: T. G. Levi, and D. N. Trifonov; Tech. Ed.: I. N. Guseva.

PURPOSE: This collection of articles is for scientists engaged in the study and analysis of the noble metals.

COVERAGE: This is a collection of articles on the analysis of the noble metals. It includes studies carried out by the Institute of General and Inorganic Chemistry im. N. S. Kurnakov (AN SSSR), as well as reports presented by scientific research organizations and by industrial enterprises at the Third and Fourth Conference on Noble Metals held in 1954 and 1957, respectively. The

Card 1/7

Analysis of Noble Metals (Cont.)

SOV/3199

studies and reports describe new organic reagents for gravimetric determination of platinum metals, and physicochemical methods of analysis (spectrophotometric, polarographic and potentiometric). Special attention is given to spectral analysis for the determination of admixtures in alloys of platinum metals, silver, and gold, as well as in refined noble metals. The collection also includes analytical methods, tables and charts for materials containing metals of the platinum group, as well as a review of the literature on the analysis of platinum metals published in the last five years. No personalities are mentioned. References follow each chapter.

TABLE OF CONTENTS

Foreword	3
Pshenitsyn, N. K., S. I. Ginzburg and K. A. Gladyshevskaya. New Methods for the Analysis of Platinum Metals	5
Pshenitsyn, N. K., <u>I. V. Prokof'yev</u> and A. Ye. Kalinina.	
Card 2/7	

Analysis of Noble Metals (Cont.)	SOV/3199
Use of Thiourea for the Concentration of Platinum Metals	15
Pshenitsyn, N. K. and N. V. Fedorenko. Use of Nitrogen Substituted Salts of Dithiocarbamic Acids for the Determination of Platinum Metals	23
Pshenitsyn, N. K., M. I. Yuz'ko. and L. G. Sal'skaya. Determination of Platinum, Palladium and Gold in Refined Silver	29
Pshenitsyn, N. K. and M. I. Yuz'ko. Spectrophotometric Determination of Rhodium With the Aid of Potassium Iodide	37
Pshenitsyn, N. K., S.I. Ginzburg. and L. G. Sal'skaya. Determination of Iridium in Sulfuric Acid Solutions by Spectrophotometric and Potentiometric Methods	48
Aleksandrov, V. A. Photocolorimetric Method for the Determination of Rhodium in the Presence of Platinum	59

Card 3/7

Analysis of Noble Metals (Cont.)

SOV/3199

Levian, B. G. and T. P. Yufa. Photocolorimetric Methods
Used in the Analysis of Platinum Metals

65

Pshenitsyn, N. K., N. A. Yezerskaya and V. D. Rathikova.
Polarographic Determination of Base Metal Admixtures in
Refined Iridium

70

Muromtsev, B. A. (Deceased) and V. D. Ratnikova. Determination of Base Metals in Refined Silver Bardin, M. B., Yu. S. Lyalikov and V. S. Temyanko. Polarographic Determination of Certain Noble Metals by Using Platinum Electrodes

80

Anisimov, S. M., P. G. Shulakov, V. N. Alyanchikova, V. M. Klypenkov and P. A. Gurin. Chemical and Polarographic Methods for the Determination of Copper, Nickel, Iron, Zinc and Lead by Using a Cationite in Products Containing Platinum Metals

88

Pshenitsyn, N. K., K. A. Gladyshevskaya and L. M. Ryakhova.

Card 4/7

Analysis of Noble Metals (Cont.)	SOV/3199
Use of the Ion Exchange Method in the Analysis of Platinum Metals. Report 2. Separation of Rhodium from Iridium	103
Anisimov, S. M., Ye. I. Nikitina and V. N. Alyanchikova. Methods of Preparing Poor Industrial Solutions and Obtaining From Them Cemented Substances for the Determination of Platinum Metals by Spectral Analysis	115
Khrapay, V. P. Spectral Method for the Determination of Platinum, Palladium, and Tellurium in Silver-gold Alloys	128
Pankratova, N. I. and A. D. Gut'ko. Spectral Method of Analysis for Refined Iridium and Ruthenium	133
Kuranov, A. A., N. P. Ruksha and M. M. Sviridova. Spectral Determination of Admixtures in Gold, Silver and Alloys	139
Kuranov, A. A. Spectral Analysis of Platinum Alloys Containing Three Components	143

Card 5/7

Analysis of Noble Metals (Cont.)

SPV/3199

Adakhovskiy, A. P. and V. M. Karbelin. Determining the Chemical Composition of Binary Alloys by the Thermoelectromotive Force

145

Avilov, V. B. Effect of Complexation and of the Acid-alkali Balance in the Medium on the Potential of the

$\text{Au}^{\text{III}}/\text{Au}^{\text{O}}$, $\text{Au}^{\text{I}}/\text{Au}^{\text{O}}$, $\text{Au}^{\text{III}}/\text{Au}^{\text{I}}$, and $\text{Ag}^{\text{I}}/\text{Ag}^{\text{O}}$ Systems

150

Avilov, V. B. and V. V. Kosova. Chromatometric Determination of Gold

156

Anisimov, S. M., V. M. Klypenkov and V. P. Tsymbal. Electrometric Method for the Determination of Silver in Silver and Lead Alloys Containing Platinum Metals

163

Yufa, T. P. and M. A. Chentsova. Dissolving Platinum Metals and Their Alloys With the Aid of an Alternating Current

176

Card 6/7

Analysis of Noble Metals (Cont.) SOV/3199

Chentsova, M. A., T. P. Yufa and V. G. Levian. New
Method for the Analysis of Palladium-silver Alloys 181

Ruzhnikov, M. S. and K. S. Sheina. Methods of Testing
Palladium Alloys and Their Products on a Touchstone
and by Chemical Means 184

AVAILABLE: Library of Congress

Card 7/7

TM/mmh
3-4-60

PROKOF'EV, KONSTANTIN ALEKSANDROVICH

Abrazivy; posobie novomu rabochemu, Moskva, Oborongiz, 1943. 60p., illus.
(Bibliotekha novogo rabochego aviatsionnoi promyshlennosti)

Title tr.: Abrasives; a manual for new workers.

TJ1296.P7

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of
Congress, 1955

ALYAMOVSKIY, M.I., kandidat tekhnicheskikh nauk; PROKOF'YEV, K.A., kandidat
tekhnicheskikh nauk.

Approximate method of determining the amplitude of natural
vibrations in condenser tubes under the effect of aerodynamic
forces. Sudostroenie 22 no.7:7-12 J1 '56. (MLRA 9:10)

(Vibration)

PROKOF'YEV, K.A., kand. tekhn. nauk; CHERNOV, S.K., kand. tekhn. nauk.

Results of testing turbine blades for vibration in an operating
turbine. Sudostreenie 24 no.10:22-25 O '58. (MIRA 11:12)
(Steam turbines--Testing)

PANCHENKO, Ivan Ivanovich; PROKOF'YEV, K.A., kand.tekhn.nauk, retsenzent;
SHEMONAYEV, A.S., inzh., red.; VASIL'YEVA, V.P., red.izd-va;
SHCHETININA, L.V., tekhn.red.

[Vibration resistance of turbine blades] Vibratsionnaia prochnost'
lopotok turbin. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.
lit-ry, 1959. 253 p. (MIRA 12:9)
(Blades--Vibration)

83301

262129
26.4210

S/114/60/000/010/001/007
E194/E484

AUTHORS: Prokof'yev, K.A., and Vidyakin, Yu.A., Candidates of Technical Sciences

TITLE: Methods of Determining the Damping Characteristics of
Blade Materials and Blade Designs

PERIODICAL: Energomashinostroyeniye, 1960, No.10, pp.13-16

TEXT: This article describes a new experimental method of determining the decrements of vibrations of specimens clamped at one end. It indicates possible errors and means of reducing them. Blading vibration decrement studies are commonly made by tuning-fork methods or by making measurements of blades suspended on wires. Methods are required of assessing damping in bundles of blades allowing for clamping and shrouding. The influence of vibrations in the baseplate to which the blade is clamped are considered at some length. The test results plotted in Fig.1 relate to a blade mounted in this way, the straight line 1 corresponding to correct results and the curve 2 to the influence of base plate resonance. It is accordingly important to study the vibration properties of the baseplate and a method of determining the natural frequencies in three perpendicular directions is explained. Very often it is Card 1/4

83301

S/114/60/000/010/001/007
E194/E484

Methods of Determining the Damping Characteristics of Blade Materials and Blade Designs

necessary to know the amplitudes of the different natural frequencies of the base plate and this may be done by studying the stress at the root of a vibrating blade. Eq.(5) is derived for the stress amplitude at the blade root and from this, the amplitude of various oscillations in the block can be calculated:

$$\sigma = \sqrt{3} \sqrt{\frac{Fy}{g}} \cdot 2\pi f a \quad (5)$$

where $\sqrt{3} = \sqrt{IF/w^2}$ for specimens of rectangular cross-section,
f - oscillation frequency of the specimen, c.p.s.,
I - moment of inertia of the cross-section, cm^4 ,
F - cross-section of the specimen, cm^2 ,
w - resistance moment of the specimen cross section, cm^3 ,
a - amplitude of the oscillation at the free end of the specimen, cm.

A typical vibration characteristic curve of a baseplate in the frequency range of 50 to 500 c/s is plotted in Fig.2 and it will be Card 2/4

83301

S/114/60/000/010/001/007
E194/E484**Methods of Determining the Damping Characteristics of Blade Materials and Blade Designs**

seen that there are numerous peaks. Such peaks will, of course, greatly influence measurements of damping properties of blading but difficulties may be avoided by appropriate sample design to avoid the blade natural frequencies corresponding to the peaks in the characteristics of the baseplates. If, however, it is desired to measure blade vibration characteristics over a range of frequencies including natural frequencies of the baseplate, it is recommended to mount two blades on the baseplate and to vibrate them identically but with a phase displacement of 180°. It has been found that in this way the influence of the baseplate on damping tests can be completely overcome. A schematic diagram of the test equipment used is shown in Fig.3. Vibration is set up in the blade by an electro-magnet supplied by an audio-frequency generator. Vibration amplitudes are measured optically. It is difficult to use strain gauges on specimens vibrating at high frequencies and a method of measuring instead the strains set up in the baseplate is explained. It is considered that this is an accurate and convenient method. Other authors using conventional methods have Card 3/4

4

83301

S/114/60/000/010/001/007
E194/E484

Methods of Determining the Damping Characteristics of Blade Materials and Blade Designs

concluded that for the higher modes of vibration, the logarithmic decrement corresponding to a given maximum stress in the specimen is much less than at lower vibration modes. Tests were made of the damping properties of samples of carbon and 13% chromium steel for the first three modes of vibration. The samples were 315 mm long, with a cross-section of 4 x 30 mm and it was arranged that the blade natural frequencies did not coincide with those of the baseplates. The test results are plotted in Fig.4 and 5 in which the logarithmic decrements are related to the stress in the outer layers of the specimen roots. It will be seen that there is no tendency for the logarithmic decrement to decrease for the higher modes of the vibration. The method developed is recommended for tests on the damping properties of materials and designs. The influence of the baseplate can be accurately assessed so that errors in the tests are avoided. There are 5 figures and 2 Soviet references.

4

Card 4/4

PROKOF'YEV, K.A.,kand.tekhn.nauk; VIDYAKIN, Yu.A.,kand.tekhn.nauk

Dauping device for turbine blade vibrations. Sudostroenie 26
no.10:31-32 0'60. (MIRA 13:10)
(Marine turbines--Vibration)

PROKOF'YEV, Konstantin Alekseyevich; SAMSONOV, Yuriy Artem'yevich;
CHERNOV, Sergey Konstantinovich; MOISEYEV, A.A., prof.,
doktor tekhn.nauk, retsenzent; TRUNTAYEV, V.V., kand.tekhn.nauk,
retsenzent; KOKICHEV, V.N., nauchnyy red.; VLASOVA, Z.V., red.;
TSAL, R.K., tekhn.red.

[Vibrations in the parts of marine turbomachine units] Vibratsiia
detalei sudovykh turboagregatov. Leningrad, Gos.sciuznoe izd-vo
sudostroit.promyshl. Vol.1. 1961. 550 p.

(MIRA 15:2)

(Marine turbines--Vibrations)

26.VI.82

4074
S/114/62/000/003/003/005
E194/E155

AUTHOR: Prokof'yev, K.A., Candidate of Technical Sciences

TITLE: On allowing for changes in the damping properties of blades that result from interaction between the blades and the turbine rotor

PERIODICAL: Energomashinostroyeniye, no.3, 1962, 23-26

TEXT: A previous work of the author gave methods of determining the damping properties of materials and blades due to internal friction. The decrement was determined from measurements of damped oscillations, i.e. under transient conditions. A further method is required for determining the decrement from measurements on steady-state oscillations. Comparisons between results obtained in the two ways is of particular value and in any case the damped vibration method cannot always be used. Accordingly a new method is proposed, based on measuring the amplitude values of a disturbing force during resonant oscillation of blades. In the equipment the free end of the blade is driven by a spring, and the relationship

Card 1/6

On allowing for changes in the ...

S/114/62/000/003/003/005
E194/E155

between the spring and blade characteristics that is necessary to obtain meaningful results is discussed. A diagram of the experimental equipment is shown in Fig.1. A sonic frequency generator (11) feeds a power amplifier (10) which supplies a solenoid (7) that drives the moving spring (6) attached to the end of the blade (5). Measuring telescopes (1) are provided to measure the displacements of the free end of the blade and of the solenoid core that drives the spring. Oscillations picked up by the strain gauge (9) at the bottom of the blade are fed through the amplifier (4) to the ratiometer (3). Motion of the solenoid core is recorded by the pick-up (8) and applied through the amplifier (2) to the ratiometer (3). Its readings indicate the ratio of the amplitude of the blade oscillation to that of the solenoid core, which is greatest when the phase displacement between them is $\pi/2$. The sonic generator frequency is altered until the blade is in resonance and the ratiometer gives maximum reading; the blade and core amplitudes are then measured with the telescopes. The power applied to the solenoid is then increased at the same frequency and further measurements

Card 2/6

S/114/62/000/003/003/005
On allowing for changes in the ... E194/E155

taken to obtain the relationship between the disturbing force and the blade oscillation amplitude. The minimum decrement of oscillations for a given design of blades can be determined. In tests on turbines it is necessary to make measurements on at least 20% of the blades in order to determine maximum stresses. This is because of interaction between blade and rotor oscillations, and the nearer the frequency of blade oscillation to one of the rotor modes the greater the blade decrement. As the rotor resonance frequency curve is usually of complicated and peaked shape, small differences in blade frequency may result in considerable differences in damping. Consideration of blade damping when all blades in the stage have different natural frequencies is relatively simple, but usually there are groups of blades in a stage which are of identical natural frequency and decrement if measurements are made with the rotor stationary. However, if measurements are made with the rotor moving the dynamic stresses are the same in all blades only if their resonance oscillations are in phase with one another. The greatest difference in dynamic stresses is obtained when

Card 3/6

On allowing for changes in the ...

S/114/62/000/003/003/005
E194/E155

some of the blades oscillate in one phase and one blade in the group is displaced in phase by $\pi/2$, when this blade has a lower decrement than the others. Methods are not available for calculating all the natural frequencies and modes of oscillation of the rotor or calculating the damping of blades as function of oscillation phase and accordingly experimental determinations are required. The experimental procedure is as follows. The influence of the bond between the blade and rotor on the decrement of a single blade in a bundle is first determined. For this purpose all blades in the stage are wedged, except the blade being studied, which is left free. Measurements are then made of the damping of groups of blade of the same natural frequency. The decrement is measured at resonance because the damped oscillation method cannot be used here. The spring drive method described above gives good results but for simultaneous measurements on a number of blades it is simpler to use a method proposed by A.S. Shemonayev which is based on measurement of the amplitude values of disturbing force applied to the free end of the blades. The experimental procedure is briefly described. Test results

Card 4/6

X

On allowing for changes in the ...

S/114/62/000/003/003/005
E194/E155

are quoted for the damping of three blades of the same natural frequency. Resonant oscillations of the blades are such that two of them are in phase and the third is displaced by $\pi/2$. The former have much greater decrement than the latter. It is concluded that if a turbine runs at constant speed the rotor blading should be arranged in such a way that blades of the same natural frequency are in phase at resonance.

There are 4 figures.

Card 5/6

PROKOF'YEV, K.A., kand. tekhn. nauk; VIDYAKIN, Yu.A., kand. tekhn. nauk

Determination of structural dimensions of a flexible coupling
for damping tangential vibrations of blades. Energomashinostroenie
9 no.7:14-16 Jl '63. (MIRA 16:7)

(Blades—Vibration) (Damping (Mechanics))

L 07565-67	EWT(m)/EWP(w)/EWP(v)/EWP(t)/ETI/EWP(k)	IJP(c)	JD/WW/EM/GD
ACC NR: AT6029369	(N)	SOURCE CODE: UR/0000/66/000/000/0243/0248	
AUTHOR: Prokof'yev, K. A. (Leningrad); Yepanechnikov, M. M. (Leningrad); Meyerson, I. L. (Leningrad)			
ORG: none	52 B+1		
TITLE: Damping properties of blades with individual tail-pieces of the "pine-tree" type	24		
SOURCE: AN UkrSSR. Institut problem materialovedeniya. Rasseyaniye energii pri kolenaniyakh uprugikh sistem (Energy dissipation during vibrations of elastic systems). Kiev, Naukova dumka, 1966, 243-248	14		
TOPIC TAGS: damping analysis, turbine blade, turbine design			
ABSTRACT: The experimental apparatus consisted of a one-stage turbine, hooked up with a direct current electric motor. The air was supplied by a compressor. The article gives a detailed diagram of the experimental apparatus. For experimental determination of the logarithmic decrement from the oscillograms of the damped vibrations the following relationship was used:			
$\delta_{\text{av}} = \frac{1}{z} \ln \frac{a_1}{a_{1+z}},$			
Card 1/2			

L 07565-67

ACC NR: AT6029369

where δ_m is the mean logarithmic decrement of the vibrations for the period of time in the course of which the blade completes z vibrations, at the same time as the amplitude of the vibrations changes from the value a_k to $a_k + z$. The values of the amplitudes a_k and $a_k + z$ were determined directly from the recorded oscilloscopes. The experimental results are shown in graphic form. It was established that 85% of the energy dissipation is due to friction in the tail-piece joint, 7% to losses in the material of the sample, and the remaining 8% to aerodynamic damping and energy losses in the rotor disk. Orig. art. has: 3 figures.

10
SUB CODE: 20 21 SUBM DATE: 22Feb66

Card 2/2 nst

ACC NR: AM6029190

(N)

Monograph

UR/

Prokof'yev, Konstantin Alekseyevich; Samonov, Yuriy Artem'yevich;
Chernov, Sergey Konstantinovich

Vibration of marine turbo-unit components (Vibratsiya detaley sudovykh
turboaggregatov) vol. 2. Leningrad, Izd-vo "Sudostroyeniye," 1966.
291 p. illus., biblio., tables. 1,400 copies printed.

TOPIC TAGS: vibration, machine vibration, shaft vibration,
torsional vibration, vibration analysis

PURPOSE AND COVERAGE: Modern methods are presented for calculating and
experimentally investigating the vibrations of marine turbounit com-
ponents. The vibration of disks, rotors, condenser tubing, piping
systems, and propeller shafts is also considered. The book is in-
tended for engineering and technical personnel in factories, design
departments, and scientific-research institutions. It may also
be used as a textbook for aspirants and students in shipbuilding
schools of higher education.

TABLE OF CONTENTS (Abridged):

Foreword -- 3

Card 1/2

UDC: 621.125-752

ACC NR: AM6029190

Part One. Vibration of Disks and Rotors of Marine Turbines -- 5

Ch. I. Vibration of discs -- 5

Ch. II. Transverse vibrations of spinning turbine rotors -- 50

Part Two. Vibration of condenser tubing, piping systems and propeller shafts -- 113

Ch. III. Vibration of condenser tubing -- 113

Ch. IV. Vibration of marine piping systems -- 172

Ch. V. Calculating the transverse vibrations of marine shafting - shafting -- 224

Ch. VI. Torsional vibrations of propeller shafts -- 267

References -- 289

SUB CODE: 13,20/SUBM DATE: 10Mar66/ ORIG REF: 045/ OTH REF: 004/

Card 2/2

KISELEV, Vasiliy Aleksandrovich, prof., doktor tekhn.nauk; DARKOV, A.V.,
prof., doktor tekhn.nauk, retsenzent; PROKOF'YEV, K.N., nauchnyy
red.; BORODINA, I.S., red.izd-va; OSUMKO, L.M., tekhn.red.

[Structural mechanics] Stroitel'naia mekhanika. Moskva, Gos.
izd-vo lit-ry po stroit., arkhit. i stroit. materialam, 1960.
559 p. (MIRA 13:12)
(Structures, Theory of)

KACHURINA, N.Ya.; PROKOF'YEV, K.V.; KAZANSKIY, V.I.; TRUPANOVA, A.G.

Production of trimellitic acid by pseudocumene oxidation.
Neftekhimiia 5 no.6:880-886 N-D '65. (MIPA 19:2)

1. Kuybyshevskiy nauchno-issledovatel'skiy institut neftyanoy
promyshlennosti i Novokuybyshevskoye neftetekhnologicheskoye
otdeleniye. Submitted Oct. 20, 1964.

KACHURINA, N.Ya.; PROKOF'YEV, K.V.; TRUPANOVA, A.G.

Isolation of aromatic hydrocarbons C₉ from high-boiling fractions formed in the process of xylene production. Nefteper. i neftekhim. no.5:32-34 '65. (MIRA 18:7)

1. Kuybyshevskiy nauchno-issledovatel'skiy institut neftyanoy promyshlennosti.

PROKOF'YEV, Ivan Iosifovich, prof.; ANISIMOV, Aleksey Petrovich,
kand. tekhn. nauk; BRONSHTEYN, L.A., prof., retsenzent;
LIV'YANT, Ya.A., red.

[Economics of automotive transportation] Ekonomika avto-
mobil'nogo transporta. Moskva, Transport, 1965. 311 p.
(MIRA 18:7)

PROKOF'YEV, L.

For the clubs' championship. Voen.znan.31 no.8:7 Ag'55.
(Shooting contests) (MLRA 8:12)

AFANASENKO, Vasiliy Ivanovich; SEROBABA, Vasiliy Fedorovich;
FOTIYEV, M.M., nauchnyy red.; PROKOF'YEV, L.G., red.;
NESMYSLOVA, L.M., tekhn. red.

[On the job training of electricians in the maintenance of
automatic control equipment and general stationary instal-
lations in mines] Proizvodstvennoe obuchenie elektroslesarei
po obsluzhivaniyu obshcheshakhtnykh statcionarnykh ustanovok
i sredstv avtomatizatsii; metodicheskoe posobie. Moskva,
Proftekhizdat, 1962. 87 p. (MIRA 16:6)
(Mining machinery--Maintenance and repair)

PHOTOFEV, L. N.

5646. PHOTIEV, L. N. Organizatsiya i Planirovaniye Kolkhoznih Finansov. Klyuch,
Ukr. Filial Vzuk, 1954. 192 s. 265n. (Glav. Upr. Podgotovki Kadrov N-Va Sel'skogo
Khozyaystva SSSR. Vsesoyuz. Zap. Uchebnyye Kurse VZuk). IGMO Eks. Bes.1.—
Na Ukr. Yaz.-(55-191) 631.16:330.1k

SO; Knizhnaya, Letopis, Vol. 1, 1955

PROKOF'YEV, M.

Photographing insects and acarians. Zashch. rast. ot vred.
i bol. 10 no.9:38-39 '65. (MIRA 18:11)

1. Zaveduyushchiy laboratoriyez zashchity rasteniy Altayskoy
opytnoy stantsii sadovodstva.

PROKOF'YEV, M.

Use of extraxts and decoctions. Zashch. rast. ot vred. i bol.
10 no.3:38 '65. (MIRA 19:1)

1. Zaveduyushchiy laboratoriye zashchity rasteniy Altayskoy
opytnoy stantsii sadovodstva.

PROKOF'YEV, M., master proizvodstvennogo obucheniya

Personnel for the Republic of Mali. Prof.-tekhn. obr. 22
no.10:46 0 '65. (MIRA 18:10)

PROKOF'YEV, M.F., aspirant

Planning scientific research on the basis of scientific and
technological information. NTI no.4:7 '63. (MIRA 16:10)

1. Leningradskiy finansovo-ekonomicheskiy institut.

USSR / Cultivation Plants. Fodders.

M-4

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25069

Author : Prokof'yev, M.A.

Inst : The Southern S.R.I. of Hydrotechnics and Melioration

Title : An Experiment in Cultivating Perennial Grasses with
Irrigation Under the Conditions of the Don River
Floodlands

Orig Pub: Sb. tr. Yuzhnogo n.-i. in-ta gidrotekhn. i melior.,
1956, vyp. 4, 315-322

Abstract: Experiments were made by the Southern Scientific Research Institute of Hydrotechnics and Melioration (at Novocherkassk) in 1949-1952 on the cultivation of perennial grasses in the floodland of the Don River, below Tsimlyanskiy Hydroelectric Development. When the floodlands were washed with cold water (that is, with local flow water as a

Card 1/3

USSR / Cultivated Plants. Fodders.

M-4

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25069

Abstract: result of the spring thawing) for 14-18 days, the following survived quite well: Slavyanskaya variety alfalfa, hybrid No. 23 alfalfa, the yellow floodland lucerne, bird's foot trefoil, meadow timothy, smooth brome, meadow fescue, and southern couchgrass, wheat-grass withstood flooding for 8 days. Red clover, Italian ryegrass and tall oatgrass were completely wiped out. Flooding the bottomland with tepid water (through inundation of the Don) for the course of 5-7 days left the alfalfa mentioned above and bird's foot trefoil unscathed. Red clover perished entirely. In the presence of longer flooding with warm water all the legumes were destroyed. Timothy, smooth brome, bird's foot trefoil withstood warm water flooding up to 14 days, slender wheat grass Agropyrum tenerum and wheat

Card 2/3

75

USSR / Cultivation Plants. Fodders.

M-4

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25069

Abstract: grasses generally up to 5 days. With warm water flooding up to 12-14 days, sowing should be limited to the grasses-smooth brome, bird's foot trefoil and meadow timothy. On those plots surrounded by embankments and moistened through the higher ground water levels when the bottomlands are flooded, the best components in the grass mixtures are Slavyanskaya alfalfa, hybrid alfalfa, meadow fescue, Italian ryegrass, tall oatgrass, the slender wheat-grass Agropyrum tenerum. When floods are not present, one must water before hay mowing; if there are floods, the first watering should be made after the first or second mowing. To get a seed yield when there are no floods one to two irrigations are proper, with flooding, a single irrigation is applied after the seed harvest in order to cut the hay. -- V. V. Koperzhinskiy

Card 3/3

IZMAYLOV, I.V.; PROKOF'YEV, M.A.

Distribution of siskins (*Carduelis spinus*) in Buryat-Mongolia. Kraeved.sbor. no.4:136-138 '59.
(MIRA 13:7)

(Buryat-Mongolia—Finches)

PROKOF'YEV, M.A., nauchnyy setrudnik

The common red spider Tetranychus telarius in orchards of
Siberia. Zashch. rast. ot vred. i bol. 6 no.10:58 O '61.
(MIRA 16:6)

1. Altayskaya plodoveryagodnaya stantsiya.
(Siberia--Fruit--Diseases and pests)
(Siberia--Red spider--Extermination)

PROKOF'YEV, M.A.

Azure-winged magpies in the Buryat Fruit and Berry Experiment Station.
Ornitologija no.4:333-335 '62. (MIRA 16:4)
(Ulan-Ude—Magpies)

PROKOF'YEV, M.A.

Cases of poisoning of birds by poisonous chemicals at the fruit
and berry stations of Siberia. Ornithologia no. 53322-323 '62.
(MIRA 16:2)

(Siberia—Birds) (DDT (Insecticide))

PROKOF'YEV, M.A.

Bullfinches in Siberia. Priroda 51 no.2:119 F '62.

(MIRA 15:2)

1. Altayskaya plodovo-yagodnaya otnaya stantsiya, Barnaul.
(Siberia--Grosbeaks)

ALEKSANDROV, Yu.P.; PROKOF'YEV, M.A.

Biological detachment of the Altai Expedition. Zashch. rast. ot
vred. i bol. 8 no.2:58 F '63. (MIRA 16:7)

1. Nachal'nik Altayskoy ekspeditsii (for Aleksandrov). 2. Starshiy
agronom biologicheskogo otryada pri Altayskoy ekspeditsii (for
Prokof'yev).

(Altai Territory--Insects, Injurious and beneficial--Biological control)
(Trichogramma)

PROKOF'YEV, M.A., nauchnyy sotrudnik

Pests of sea buckthorn. Zashch. rast. ot vred. i bol. 8 no.11:35-
37 N '63. (MIRA 17:3)

1. Altayskaya opytnaya stantsiya sadovodstva.

ABRAMOVA, Z.V., kand.sel'skokhoz.nauk; SHUROVENKOV, Yu.B.; PONOMARCHUK, V.I. (Uzhgorod); KHODYREV, N.G., agronom (Ust'-Labinskiy rayon, Krasnodarskogo kraja); KASUMOV, V.G., nauchnyy sotrudnik; PROKOF'YEV, M.A.; SIZOVA, G.S.

Brief information. Zashch. rast. ot vred. i bol. 9 no. 4:48-50
'64. (MIRA 17:5)

1. Leningradskiy sel'skokhozyaystvennyy institut (for Abramova).
2. Zaveduyushchiy laboratoriya zashchity rasteniy Kurganskoy oblastnoy sel'skokhozyaystvennoy optytnoy stantsii (for Shurovenkov).
3. Azerbaydzhanskiy institut zashchity rasteniy (for Kasumov).
4. Altayskaya optytnaya stantsiya sadovodstva (for Prokof'yev, Sizova).

NESMEYANOVA, M.A.; BOGDANOV, A.A.; PROKOF'YEV, M.A.

Alkaline phosphatase linked with ribosomes in Escherichia coli.
Biokhimiia 30 no. 3:463-470 My-Je '65 (MIRA 1981)

1. Laboratoriya khimii belka khimicheskogo fakul'teta Gosudar-
stvennogo universiteta imeni Lomonosova, Moskva.

PITKYANEN, I.G.; PROKOF'YEV, M.I.

Reaction of the swine uterus to the introduction of
diluents and diluted sperma. Zhur. ob. biol. 24 no.3:
202-208 My-Je '63.
(MIRA 16:8)

1. Pushkinskaya nauchno-issledovatel'skaya laboratoriya
razvedeniya sel'skokhozyaystvennykh zhivotnykh.
(ARTIFICIAL INSEMINATION) (ABSORPTION (PHYSIOLOGY))

ical
PROKOF'YEV, M. I., Cand of Agric Sci -- (diss) "History and Contemporary Status of Rice
Growing Attempts in Russia and the USSR, " Leningrad, 1959, 22 pp Leningrad
Agricultural Institute) (KL, 4-60, 121)

PROKOF'YEV, N.

Remarks on a book about control and measuring apparatus ("Operation and maintenance of measuring apparatus and automatic regulators in petroleum refineries." A.B.Bakutkin, B.S.Semenov. Reviewed by N.Prokof'ev). Neft.khoz, 32 no.12:90-91 D'54 (MLRA 8:2)
(Bakutkin, A.B.)(Semenov, B.S.)(Petroleum--Refining)

PROKOF'YEV, N.

"Handbook on the establishment of norms for loading and unloading operations." Reviewed by N.Prokof'ev. Rech. transp. 21 no.2:64 F '62. (MIRA 15:3)

1. Starshiy instruktor ot dela truda i zarplaty tsentral'nogo komiteta profsoyuza rabochikh morskogo i rechnogo flota.
(Cargo handling--Standards)

~~PROKOF'YEV, N.~~

Remarks on a book about control and measuring apparatus ("Operation and maintenance of measuring apparatus and automatic regulators in petroleum refineries." A.B.Bakutkin, B.S.Semenov. Reviewed by N.Prokof'ev). Neft.khoz, 32 no.12:90-91 D'54 (MLRA 8:2)
(Bakutkin, A.B.)(Semenov, B.S.)(Petroleum--Refining)

PROKOF'YEV, N.

Remarks on a book about control and measuring apparatus ("Operation and maintenance of measuring apparatus and automatic regulators in petroleum refineries." A.B.Bakutkin, B.S.Semenov. Reviewed by N.Prokof'ev). Neft.khoz. 32 no.12:90-91 D'54 (MLRA 8:2)
(Bakutkin, A.B.)(Semenov, B.S.)(Petroleum--Refining)

AID P - 1365

Subject : USSR/Engineering

Card 1/1 Pub 78 - 28/30

Author : Prokof'yev, N.

Title : Comments on a book on control and measuring instruments.

Periodical : Neft. khoz., v.32, #12, 90-91, D 1954

Abstract : Discussion of the book Service and Repairs of Measuring Instruments and Automatic Regulators in Oil Fields by Bakutkin, A. B. and Semenov, B. S.

Institution: None

Submitted : No date